


MAGNETON

STARTER MOTOR

9142 709

IMPORTANT DIMENSIONS TO FIT ON ENGINE



TECHNICAL DATA

Nominal voltage
Rated output
Rated speed
Static torque

12V
2,7kW
1 500min⁻¹
55Nm

Pinion teeth number
Module
Pressure angle
Weight

10
3,175
15°
5,3kg

APPLICATIONS

1. PERKINS engines 1004.4
1004.40
1004.42

CROSS REFERENCES

Iskra

IS 0872; 11.130.872; AZE3305
IS 1023; 11.131.077; AZF4545
IS 1098; 11.131.315; AZE4579

AGCO
CASE INT.
Landini
Massey Ferguson

427 0745 M2
234 987 A1
3542 185 M93; 3667 037 M91
382 1808 M91
382 1818 M91
706 022 A1; 706 366 A1
144 783 4M91
4TNV98.76011

Mc Cormick
Perkins
Yanmar

09 / 2012

MAGNETON a.s., Hulínská 1799/1, 767 01 Kroměříž, Czech Republic

Tel: +420 573 592 255; Fax: +420 573 331 239; e-mail: marketing@magneton.cz; www.magneton.cz

Použití spouštěče 9142 709

Applications of starter motor 9142 709

Strana 2 / 3
Page

BRAND	MODEL	TYPE	ENGINE kW	PS	ccm	PRODUCTION YEAR
LANDINI	Atlantis 100	Perkins 1004-40T			4 200	
LANDINI	Atlas 100	Perkins 1004-40T			4 000	
LANDINI	Atlas 70	Perkins 1004-40			4 000	
LANDINI	Atlas 80	Perkins 1004-42			4 000	
LANDINI	Atlas 90	Perkins 1004-40T			4 000	
LANDINI	Frutteto RRP 50	Perkins 1004-42				
LANDINI	Frutteto RT40	Perkins 1004-42				
LANDINI	Ghibli 100	Perkins 1004-40T			4 200	
LANDINI	Ghibli 80	Perkins 1004-42T			4 000	
LANDINI	Ghibli 90	Perkins 1004-40T			4 000	
LANDINI	Globus 65	Perkins 1004-40			4 000	
LANDINI	Globus 75	Perkins 1004-42			4 000	
LANDINI	Globus 80	Perkins 1004-42			4 000	
LANDINI	Mythos 100	Perkins 1004-40T			4 000	
LANDINI	Mythos 90	Perkins 1004-40T			4 000	
LANDINI	Rex 100GT	Perkins 1004-40T			4 000	
LANDINI	Rex 70V	Perkins 1004-40			4 000	
LANDINI	Rex 80 F; L; GT; V	Perkins 1004-40T			4 200	
LANDINI	Rex 9 G; GT	Perkins 1004-40T			4 000	
LANDINI	Vigneto RP00	Perkins 1004-42				
LANDINI	Vigneto RT01	Perkins 1004-42				
MASSEY FERGUSON	MF 330S					
MASSEY FERGUSON	MF 4325					
MASSEY FERGUSON	MF4335					
MASSEY FERGUSON	MF 4345					
MASSEY FERGUSON	MF 4355					
MASSEY FERGUSON	MF 6226					
MASSEY FERGUSON	MF 875					
McCormick	MC120P6					
McCormick	MC135P6					
Perkins		1004-4; T				
Perkins		1004-40; S; RW; TA				
Perkins		1004-42				

Náhradní díly spouštěče 9142 709

Spare parts of starter motor 9142 709

Strana 3 / 3
Page

1.0 Víko přední Front bracket	Cat. No. 6955330
2.0 Náhon pastorku Pinion drive	Cat. No. 7152061
2.1 Hřídel pastorková Pinion shaft	Cat. No. 3371150
2.2 Ložisko Bearing	Cat. No. 324165033
2.3 Volnoběžka sestavená Clutch drive assy	Cat. No. 7157980
2.4 Ložisko Bearing	Cat. No. 324165032
2.5 Volnoběžka Clutch	Cat. No. 7157970
3.0 Víko převodové Gear bracket	Cat. No. 6956560
4.0 Kotva sestavená Armature assy	Cat. No. 715154A
5.0 Stator s držákem kartáčů Stator with brush holder	Cat. No. 7153820
5.1 Nosič kartáčů sestavený Brush holder assy	Cat. No. 7151610
5.2 Sada kartáčů Brush set	Cat. No.
6.0 Spínač sestavený Contactor assy	Cat. No. 7154426
6.1 Víčko sestavené Lid assy	Cat. No. 7157940
6.2 Pružina Spring	Cat. No. 4600207
7.0 Páka vysouvací Operation lever	Cat. No. 5233940
8.0 Víko zadní Rear bracket	Cat. No. 165843C

Poznámka Note

- Spínač sestavený bude dodáván včetně 3ks šroubů M5x45.
Contactor assy will be supplied with 3 pcs. screw M5x45.
- Víko převodové bude dodáváno včetně ložiska HK2212, komínku a ucpávky
Transmission cover will be supplied with bearing HK2212, dewatering and sealing.
- Pastorková hřídel bude dodávána včetně pružiny, zajišťovacího a pojistného kroužku.
Pinion shaft will be supplied with shoting spring, stop ring and lock spring.

