


MAGNETON

STARTER MOTOR

9142 765

IMPORTANT DIMENSIONS TO FIT ON ENGINE



TECHNICAL DATA

Nominal voltage
Rated output
Rated speed
Static torque

12V
2,7kW
1 500min⁻¹
55Nm

Pinion teeth number
Module
Pressure angle
Weight

10
3,175
20°
5,3kg

APPLICATIONS

1. Avceling Barford
2. Barber Greene
3. CASE International
4. David Brown (CASE)
5. FORD New Holland
6. Ingersoll-Rand
7. JCB
8. MATBRO
9. Reliance Mercury

CROSS REFERENCES

Iskra	IS 0579; 11.130.579; AZJ3182
Lucas	IS 0624; 11.130.624; AZJ3198 26137; 26189; 26211; 26291 26338; 26364; 26395; 27500 LRS00115; LRS00129 LRS00212; LRS00230 LRS00552
HC Parts Hella	CS 200; CS 987 8EA 726 026-001; 8EA 737 236-001
David Brown FORD	K308650 D1 NN 11000 A; D2 NN 11000 B D4 NN 11000 B; D7 NN 11000 B D8 NN 11000 CA; D8NN 11000 CE

08 / 2012

Použití spouštěče 9142 765

Applications of starter motor 9142 765

Strana 2 / 4
Page

BRAND	MODEL	TYPE	ENGINE kW	PS	ccm	PRODUCTION YEAR
AVELING Barford	DC					01/80 -
AVELING Barford	GC4; GD4					01/72 - 01/76
AVELING Barford	GN					01/85 - 01/79
AVELING Barford	PM20					01/77 - 01/78
AVELING Barford	PR15					01/77 - 01/78
AVELING Barford	PTR					01/72 - 01/76
AVELING Barford	TD					01/80 -
AVELING Barford	TR					01/65 - 01/79
AVELING Barford	VP Vibratory					01/69 - 01/73
AVELING Barford	VS					01/69 - 01/73
AVELING Barford	VSA; VXC011					01/77 -
BARBER Greene	SA141					01/76 -
BARBER Greene	SB131					01/76 -
BARBER Greene	SB140					01/76 -
BARBER Greene	SB30					01/76 -
CASE International	1394 2WD					01/84 - 01/88
CASE International	1494 2WD					01/84 - 01/87
CASE International	1594 2WD					01/84 - 01/88
CASE International	1690 2WD; 1690 4WD					01/84 - 01/85
CASE International	1694					01/84 - 01/87
COMPAIR	Hydrovane 152GT Comp.					01/76 -
COMPAIR	Hydrovane 180GT Comp.					01/76 -
DAVID BROWN	1410; 1412	459011				
DAVID BROWN	1594	330002				
DAVID BROWN	1690; 1694	330001; 330102				
DENNIS	50 Municipal					01/72 - 01/79
DENNIS	70 Municipal					01/72 - 01/79
DENNIS	Dominant					01/72 - 01/79
FORD New Holland	1112 Speed Power					
FORD New Holland	1164 County					
FORD New Holland	2310					
FORD New Holland	2514 E	256C.I.				
FORD New Holland	2610					
FORD New Holland	2810					
FORD New Holland	2910; 3910					01/82 -
FORD New Holland	3230					
FORD New Holland	3310					01/82 -
FORD New Holland	3310X4					01/82 -
FORD New Holland	3430					
FORD New Holland	3610					
FORD New Holland	3900					
FORD New Holland	3910; 3910H					
FORD New Holland	3930; 3930H					
FORD New Holland	4000; 5000					
FORD New Holland	4100; 4600	201.250.401C.I.				01/79
FORD New Holland	4110					
FORD New Holland	4130; 4130H					
FORD New Holland	4610					01/82 -
FORD New Holland	4630					
FORD New Holland	550; 555					
FORD New Holland	5600; 6600	201.256.401C.I.				
FORD New Holland	5610					
FORD New Holland	5700					
FORD New Holland	5900					

Použití spouštěče 9142 765

Applications of starter motor 9142 765

Strana 3 / 4
Page

BRAND	MODEL	TYPE	ENGINE kW	PS	ccm	PRODUCTION YEAR
FORD New Holland	620 Combine					
FORD New Holland	622 Combine					
FORD New Holland	6410					
FORD New Holland	654 County					
FORD New Holland	655A					
FORD New Holland	6610					01/79 -
FORD New Holland	6710					01/79 -
FORD New Holland	6810					
FORD New Holland	7000;8000	158.175.201.256.4C				
FORD New Holland	7410					
FORD New Holland	754 County					
FORD New Holland	7600; 8600	201.256. 401C.I.				01/79 -
FORD New Holland	7610; 7710					01/82 -
FORD New Holland	764 County					
FORD New Holland	7700; 8700	201.256.401C.I.				
FORD New Holland	774 County					
FORD New Holland	7810					
FORD New Holland	7910					01/82 -
FORD New Holland	8200; 8210					
FORD New Holland	8401; 8530; 8630					
FORD New Holland	8730; 8830; 9000					
FORD New Holland	910; 912 Speed Power					
FORD New Holland	944 County					
FORD New Holland	9600; 6700	201.250.401C.I.				01/79 -
FORD New Holland	964 County					
FORD New Holland	9700	201.256.401C.I				01/79 -
FORD New Holland	974 County					
FORD New Holland	TRENCH Digger	201C.I				
FORD New Holland	TW10					
FORD New Holland	TW1164; TW1184 County					
FORD New Holland	TW15; TW20; TW25					
FORD New Holland	TW30; TW35; TW5					
INGERSOLL RAND	140SL Compressor					
INGERSOLL RAND	175SL Compressor					
INGERSOLL RAND	250LS Compressor					
INGERSOLL RAND	DR140S Compressor					
INGERSOLL RAND	DR175S Compressor					
INGERSOLL RAND	DR250S Compressor					
JCB	805					01/76 - 01/78
JCB	806; 806B					01/73 - 01/82
JCB	807B					01/70 - 01/82
MATBRO	100; 120					
MATBRO	200; 220; 240					

Náhradní díly spouštěče 9142 765

Spare parts of starter motor 9142 765

Strana 4 / 4
Page

1.0 Víko přední Front bracket	Cat. No. 6956800
2.0 Náhon pastorku Pinion drive	Cat. No. 7152060
2.1 Hřídel pastorková Pinion shaft	Cat. No. 3371150
2.2 Ložisko Bearing	Cat. No. 324165033
2.3 Volnoběžka sestavená Clutch drive assy	Cat. No. 7157980
2.4 Ložisko Bearing	Cat. No. 324165032
2.5 Volnoběžka Clutch	Cat. No. 7157970
3.0 Víko převodové Gear bracket	Cat. No. 6156560
4.0 Kotva sestavená Armature assy	Cat. No. 715154A
5.0 Stator s držákem kartáčů Stator with brush holder	Cat. No. 7153820
5.1 Nosič kartáčů sestavený Brush holder assy	Cat. No. 7151610
5.2 Sada kartáčů Brush set	Cat. No. -
6.0 Spínač sestavený Contactor assy	Cat. No. 7154520
6.1 Víčko sestavené Lid assy	Cat. No. 7154530
6.2 Pružina Spring	Cat. No. 4600207
7.0 Páka vysouvací Operation lever	Cat. No. 5233940
8.0 Víko zadní Rear bracket	Cat. No. 165843C

Poznámka Note

- Spínač sestavený bude dodáván včetně 3ks šroubů M5x45.
Contactor assy will be supplied with 3 pcs. screw M5x45.
- Víko převodové bude dodáváno včetně ložiska HK2212, komínku a ucpávky
Transmission cover will be supplied with bearing HK2212, dewatering and sealing.
- Pastorková hřídel bude dodávána včetně pružiny, zajišťovacího a pojistného kroužku.
Pinion shaft will be supplied with shoting spring, stop ring and lock spring.

