


MAGNETON

STARTER MOTOR

9144 724

IMPORTANT DIMENSIONS TO FIT ON ENGINE



TECHNICAL DATA

Nominal voltage 12V
Rated output 1,3kW
Rated speed 2 400min⁻¹

Pinion teeth number 9
Module 3,0
Pressure angle 15°
Weight 12kg

APPLICATIONS

1. VAMO
2. WISCONSIN

CROSS REFERENCES

Použití spouštěče 9144 724

Applications of starter motor 9144 724

Strana 2 / 3
Page

BRAND	MODEL	TYPE	ENGINE kW	PS	ccm	PRODUCTION YEAR
VAMO		2S 90A				
VAMO		2S 85A3				
VAMO		4S 90A				
VAMO		4S 95A3				
WISCONSIN	TV 824	2S 90A				
WISCONSIN	TV 824	2S 95A3				
WISCONSIN	MTB-150	4S 90A				
WISCONSIN	MTB-150	4S 90A3				
WISCONSIN	TU	82 6S				

Náhradní díly spouštěče 9144 724

Spare parts of starter motor 9144 724

Strana 3 / 3
Page

1.0 Víko břemenové sestavené		Cat. No. 7150990
Front bracket assy		
2.0 Volnoběžka		Cat. No. 8014271
Clutch		
3.0 Páka vysouvací		Cat. No. 8470520
Operation lever		
4.0 Rotor sestavený		Cat. No. 7151040
Armature assy		
5.0 Stator sestavený		Cat. No. 7151010
Stator assy		
6.0 Mezistěna		Cat. No. 8805710
Partition wall		
7.0 Komutátorové víko sest.		Cat. No. 0157841
Commutator cover assy		
8.0 Spínač sestavený		Cat. No. 0157971
Contactoressy		
9.0 Kryt		Cat. No. 5226930
Cover		