


MAGNETON

ALTERNATOR 9515 102

IMPORTANT DIMENSIONS TO FIT ON ENGINE



TECHNICAL DATA

Nominal voltage
Rated current at 1 800min⁻¹
Rated current at 6 000min⁻¹

14V
28A
65A

Maximum speed
Zero speed
Weight

13 000min⁻¹
1 250min⁻¹
5,0kg

APPLICATIONS

1. STEYR

CROSS REFERENCES

STEYR

142 000 090 1651

Použití alternátoru 9515 102

Applications of alternator 9515 102

Page 2 / 3

BRAND	MODEL	TYPE	ENGINE kW	PS	ccm	PRODUCTION YEAR
CASE Steyr	CS68	SISU 320	55		3 290	
CASE Steyr	CS75	SISU 320	55		3 290	
CASE Steyr	M968a	SISU 320	55		3 290	
CASE Steyr	M975a	SISU 320	55		3 290	
SISU Diesel		SISU 320	55		3 290	



Náhradní díly alternátoru 9515 102

Spare parts of alternator 9515 102

Page 3 / 3

1.0 Víko přední sestavené Front cover assy		Cat. No. 0137740
2.0 Rotor sestavený Rotor assy		Cat. No. 0135141
3.0 Víko zadní sestavené Rear cover assy		Cat. No. 0141071
4.0 Usměrňovací blok Rectifier		Cat. No. 0140901
5.0 Držák uhlíků s regulátorem Brush holder with regulator		Cat. No. 0143670
6.0 Stator sestavený Stator assy		Cat. No. 0135421
7.0 Řemenice Pulley		Cat. No. 6020707
8.0 Ventilátor Fan		Cat. No. 5233457

Poznámka Note

1. *Víko přední sestavené je dodáváno včetně předního ložiska.*
Front cover assembly is supplied with front bearing.
2. *Rotor sestavený je dodáván včetně zadního ložiska.*
Rotor assembly is supplied with rear bearing.
3. *Víko zadní sestavené je dodáváno včetně usměrňovače.*
Rear cover assembly is supplied with the rectifier.

