


MAGNETON

ALTERNATOR 9515 124

IMPORTANT DIMENSIONS TO FIT ON ENGINE



TECHNICAL DATA

Nominal voltage 14V
Rated current at 1 800min⁻¹ 44A
Rated current at 6 000min⁻¹ 120A

Maximum speed
Zero speed
Weight

13 000min⁻¹
1 300min⁻¹
6,3kg

APPLICATIONS

1. CASE Steyr

CROSS REFERENCES

CASE Steyr 162 000 090 120
162 000 090 1201

Použití alternátoru 9515 124

Applications of alternator 9515 124

Page 2 / 3

BRAND		MODEL	TYPE	ENGINE KW	PS	ccm	PRODUCTION YEAR
SISU	Serie CS	CS68	SISU engine				01/99 -
SISU		CS75	SISU engine				- 12/98
SISU		CS78	SISU engine				- 12/99
SISU		CS86	SISU engine				- 12/98
SISU		CS94	SISU engine				- 12/98
SISU		CS100	SISU engine				01/99 -
SISU		CS110	SISU engine				01/99 -
SISU		CS120	SISU engine				01/99 -
SISU		CS130	SISU engine				01/99 -
SISU		CS150	SISU engine				01/99 -
SISU	Serie CVX	CVX1145					
SISU		CVX1155					
SISU		CVX1170					
SISU		CVX1190					
SISU		CVX120					
SISU		CVX130					
SISU		CVX150					
SISU		CVX170					

Náhradní díly alternátoru 9515 124

Spare parts of alternator 9515 124

Page 3 / 3

1.0 Víko přední sestavené Front cover assy		Cat. No. 0137891
2.0 Rotor sestavený Rotor assy		Cat. No. 0138721
3.0 Víko zadní sestavené Rear cover assy		Cat. No. 0138771
4.0 Usměrňovací blok Rectifier		Cat. No. 0138801
5.0 Držák uhlíků s regulátorem Brush holder with regulator		Cat. No. 0138841
6.0 Stator sestavený Stator assy		Cat. No. 0138750
7.0 Řemenice Pulley		Cat. No. 6020811
8.0 Ventilátor Fan		Cat. No. 5233457

Poznámka Note

1. *Víko přední sestavené je dodáváno včetně předního ložiska.*
Front cover assembly is supplied with front bearing.
2. *Rotor sestavený je dodáván včetně zadního ložiska.*
Rotor assembly is supplied with rear bearing.
3. *Víko zadní sestavené je dodáváno včetně usměrňovače.*
Rear cover assembly is supplied with the rectifier.

