


MAGNETON

ALTERNATOR

9516 051

IMPORTANT DIMENSIONS TO FIT ON ENGINE



TECHNICAL DATA

Nominal voltage
Rated current at 1 800min⁻¹
Rated current at 6 000min⁻¹

14V
28A
55A

Maximum speed
Zero speed
Weight

13 000min⁻¹
1 100min⁻¹
4,9kg

APPLICATIONS

1. ŠKODA

CROSS REFERENCES

Použití alternátoru 9516 051

Applications of alternator 9516 051

Page 2 / 3

BRAND	MODEL	TYPE	ENGINE kW	PS	ccm	PRODUCTION YEAR
ŠKODA	105 GL		34		1 046	08/76 - 08/83
ŠKODA	105 L		34		1 046	09/83 - 01/89
ŠKODA	105 S		34		1 046	09/83 - 01/89
ŠKODA	105 SP		34		1 046	09/83 - 01/89
ŠKODA	120 GLS		43		1 174	09/83 - 01/87
ŠKODA	120 L		43		1 174	01/88 - 01/89
ŠKODA	120 LE		38		1 174	10/82 - 05/83
ŠKODA	120 LS		38		1 174	10/82 - 06/83
ŠKODA	120 LX		43		1 174	08/84 - 01/89
ŠKODA	130 RAPID		43		1 174	08/84 - 01/89

Náhradní díly alternátoru 9516 051

Spare parts of alternator 9516 051

Page 3 / 3

1.0 Víko přední sestavené Front cover assy		Cat. No.
2.0 Rotor sestavený Rotor assy		Cat. No.
3.0 Víko zadní sestavené Rear cover assy		Cat. No.
4.0 Usměrňovací blok Rectifier		Cat. No.
5.0 Držák uhlíků s regulátorem Brush holder with regulator		Cat. No.
6.0 Stator sestavený Stator assy		Cat. No.
7.0 Řemenice Pulley		Cat. No.
8.0 Ventilátor Fan		Cat. No.

Poznámka Note

1. *Víko přední sestavené je dodáváno včetně předního ložiska.*
Front cover assembly is supplied with front bearing.
2. *Rotor sestavený je dodáván včetně zadního ložiska.*
Rotor assembly is supplied with rear bearing.
3. *Víko zadní sestavené je dodáváno včetně usměrňovače.*
Rear cover assembly is supplied with the rectifier.

