


MAGNETON

ALTERNATOR

9516 061

IMPORTANT DIMENSIONS TO FIT ON ENGINE



TECHNICAL DATA

Nominal voltage
Rated current at 1 800min⁻¹
Rated current at 6 000min⁻¹

14V
28A
55A

Maximum speed
Zero speed
Weight

13 000min⁻¹
1 100min⁻¹
4,9kg

APPLICATIONS

1. DETVA
2. ZETOR

CROSS REFERENCES

PAL Magneton
ZETOR

443 113 516 184
93. 9950

Použití alternátoru 9516 061

Applications of alternator 956 061

Page 2 / 3

BRAND	MODEL	TYPE	ENGINE kW	PS	ccm	PRODUCTION YEAR
DETVA	UNC 053	Zetor 7201.90	46,6			
DETVA	UNC 18	Zetor 7201.90	46,6			
ZETOR	10011	8002				
ZETOR	10045	8002				
ZETOR	12011	8601				
ZETOR	12045	8601				
ZETOR	16045	8602				
ZETOR	4712	4701				
ZETOR	4718	4701	45		2 500	
ZETOR	4911	4901	45		2 500	
ZETOR	5011	5001	34,2		2 600	
ZETOR	5711	5501	34,2		2 600	
ZETOR	5718	5501	55		3 100	
ZETOR	5911	5901	55		3 100	
ZETOR	5945	5901	43		3 400	
ZETOR	6011	6001	43		3 400	
ZETOR	6045	6001	43		3 400	
ZETOR	6711	6701	43		3 400	
ZETOR	6718	6701	61		3 400	
ZETOR	6745	6701	61		3 400	
ZETOR	6748	6701	61		3 400	
ZETOR	6911	6901	61		3 400	
ZETOR	6945	6901	47,5		3 400	
ZETOR	7011	7001	47,5		3 400	
ZETOR	7045	7001	47,5		3 400	
ZETOR	8011	8001	47,5		3 400	
ZETOR	8045	8001				

Náhradní díly alternátoru 9516 061

Spare parts of alternator 9516 061

Page 3 / 3

1.0 Víko přední sestavené Front cover assy		Cat. No. 0135790
2.0 Rotor sestavený Rotor assy		Cat. No. 0135141
3.0 Víko zadní sestavené Rear cover assy		Cat. No. 0141251
4.0 Usměrňovací blok Rectifier		Cat. No. 0140831
5.0 Držák uhlíků s regulátorem Brush holder with regulator		Cat. No. 0143410
6.0 Stator sestavený Stator assy		Cat. No. 01333791
7.0 Řemenice Pulley		Cat. No. 6020511
8.0 Ventilátor Fan		Cat. No. 5233457

Poznámka Note

1. *Víko přední sestavené je dodáváno včetně předního ložiska.*
Front cover assembly is supplied with front bearing.
2. *Rotor sestavený je dodáván včetně zadního ložiska.*
Rotor assembly is supplied with rear bearing.
3. *Víko zadní sestavené je dodáváno včetně usměrňovače.*
Rear cover assembly is supplied with the rectifier.

