


MAGNETON

ALTERNATOR

9516 654

IMPORTANT DIMENSIONS TO FIT ON ENGINE



TECHNICAL DATA

Nominal voltage
Rated current at 1 800min⁻¹
Rated current at 6 000min⁻¹

14V
28A
55A

Maximum speed
Zero speed
Weight

9 000min⁻¹
1 200min⁻¹
5,2kg

APPLICATIONS


1. Škoda

CROSS REFERENCES

Použití alternátoru 9516 654 Applications of alternator 9516 654

Page 2 / 3

BRAND	MODEL	TYPE	ENGINE kW	PS	ccm	PRODUCTION YEAR
ŠKODA	742,1 105 GL		33,9	1 100		08/76 - 08/83
Škoda	742,1 105 L		33,9	1 100		08/83 - 01/89
Škoda	742,1 105 S		33,9	1 100		09/83 - 01/89
Škoda	110					



Náhradní díly alternátoru 9516 654

Spare parts of alternator 9516 654

Page 3 / 3

1.0 Víko přední sestavené Front cover assy		Cat. No. 0133221
2.0 Rotor sestavený Rotor assy		Cat. No. 0133211
3.0 Víko zadní sestavené Rear cover assy		Cat. No. 0141321
4.0 Usměrňovací blok Rectifier		Cat. No. 0135241
5.0 Držák uhlíků s regulátorem Brush holder with regulator		Cat. No. 0143701
6.0 Stator sestavený Stator assy		Cat. No. 0133791
7.0 Řemenice Pulley		Cat. No. 6020521
8.0 Ventilátor Fan		Cat. No. 5233530

Poznámka Note

1. *Víko přední sestavené je dodáváno včetně předního ložiska.*
Front cover assembly is supplied with front bearing.
2. *Rotor sestavený je dodáván včetně zadního ložiska.*
Rotor assembly is supplied with rear bearing.
3. *Víko zadní sestavené je dodáváno včetně usměrňovače.*
Rear cover assembly is supplied with the rectifier.

