


GROUP:	17A
FORM:	8AR
FILE:	Alternator Parts List Section
DATE:	May, 1995


MODEL	VOLTS	AMPS
Various See Table		



MODEL NO.	SALES NO.	1 HSNQ FRONT	2 ROTOR ASSEM	3 STATOR ASSEM	4 HSNQ REAR	5 FAN	6 PULLEY	7 BRNG FRONT	8 BRNG REAR	9 FR. BRNG RET	10 R. BRNG RET	11 DIODE ISOLATION	12 DIODE REC.NEG.
8AR2044F		114-6	112-1	113-1	114-18	107-8		111-21	111-23	111-3	111-25	101-30	101-2
8AR2045K		114-6	112-2	113-19	114-18	107-8		111-21	111-23	111-3	111-25	101-30	101-2
8AR2048F		114-6	112-1	113-1	114-18	107-8	107-78	111-21	111-23	111-3	111-25	101-30	101-2
8AR2049K		114-6	112-2	113-19	114-18	107-8	107-78	111-21	111-23	111-3	111-25	101-30	101-2
8AR2050F	110-241	114-6	112-1	113-1	114-18	107-8	107-43	111-21	111-23	111-3	111-25	101-44	101-2
8AR2051K	110-240	114-6	112-2	113-19	114-18	107-8	107-43	111-21	111-23	111-3	111-25	101-8	101-2
8AR2052F	110-265	114-176	112-1	113-1	114-18	107-8		111-21	111-23	111-3	111-25	101-177	101-173
8AR2053F	110-286	114-168	112-1	113-1	114-104	107-8	107-35	111-21	111-23	111-3	111-25		101-2
8AR2057L	110-723	114-157	112-29	113-45	114-182	107-8	107-1	111-21	111-23	111-3	111-25		101-173
8AR2060F	110-262	114-6	112-1	113-1	114-98	107-8		111-21	111-23	111-3	111-25		101-126
8AR2062K	110-263	114-6	112-2	113-19	114-98	107-8		111-21	111-23	111-3	111-25		101-126
8AR2063F		114-6	112-1	113-1	114-18	107-8		111-21	111-23	111-3	111-25	101-30	101-2
8AR2065F	110-234	114-168	112-1	113-1	114-104	107-8	107-1	111-21	111-23	111-3	111-25		101-2
8AR2066F	110-261	114-6	112-1	113-1	114-98	107-8		111-21	111-23	111-3	111-25		101-126
8AR2066F-LE		114-6	112-1	113-1	114-98	107-8		111-21	111-23	111-3	111-25		101-126
8AR2067L	110-291	114-176	112-29	113-45	114-104	107-8		111-21	111-23	111-3	111-25		101-195
8AR2068F		114-6	112-1	113-1	114-98	107-8		111-21	111-23	111-3	111-25		101-126
8AR2068FM	110-287	114-6	112-1	113-1	114-98	107-8		111-42	111-41	111-3	111-25		101-126
8AR2069F	110-273	114-1	112-1	113-1	114-98	107-8		111-21	111-23	111-3	111-25		101-126
8AR2070K	110-274	114-1	112-2	113-19	114-98	107-8		111-21	111-23	111-3	111-25		101-126
8AR2070KA	110-647	114-1	112-89	113-75	114-98	107-8		26853	111-23	111-3	111-25		101-236
8AR2071L	110-290	114-183	112-29	113-45	114-182	107-8	107-1	111-21	111-23	111-3	111-25		101-173
8AR2072F	110-288	114-176	112-1	113-1	114-104	107-8		111-21	111-23	111-3	111-25		101-195
8AR2073F	110-289	114-1	112-1	113-1	114-98	107-88		111-21	111-23	111-3	111-25		101-126
8AR2074F		114-6	112-1	113-1	114-18	107-8	107-43	111-21	111-23	111-3	111-25	101-30	101-2
8AR2075F	110-283	114-93	112-1	113-1	114-98	107-8		111-21	111-23	111-3	111-25		101-18
8AR2076K	110-325	114-6	112-2	113-19	114-98	107-8		111-21	111-23	111-3	111-25		101-126
8AR2081F	110-315	114-3	112-1	113-1	114-98	107-8	107-1	111-21	111-23	111-3	111-25		101-126
8AR2169F	110-629	114-1	112-88	113-74	114-98	107-8		26853	111-23	111-3	111-25		101-236
8AR3010		114-6	112-6	113-5	114-19	107-8		111-21	111-23	111-3	111-25	101-30	101-2
8AR3077F	110-295	114-176	112-6	113-5	114-104	107-8		111-21	111-23	111-3	111-25		101-173
8AR3080F	110-301	114-1	112-6	113-5	114-98	107-8		111-21	111-23	111-3	111-25		101-126

Important: The information contained in this bulletin is intended for use by trained, professional technicians who have the proper tools, equipment, and training to perform the required maintenance described above. This information is NOT intended for 'do-it-yourselfers', and you should not assume that this information applies to your equipment. If you have any questions regarding this information please visit our website at www.prestolite.com, or contact our technical service department at:

GROUP: 17A
FORM: 8AR



MODEL NO.	SALES NO.	13 DIODE REC. POS.	14 BRUSH ASSEM	15 SPACER FAN & PUL	16 WDRFF KEY 5	17 COV. BRU HOLDER	18 SHIELD DUST	19 CABLE ASSEM, GRD	20 CABLE, AC ASSEM	21 AC TAP ASSEM	22 DIODE TRIO	23 CABLE	24 VOLT. REG.
8AR2044F		101-1	103-15	120-152	120-7	103-6	103-13						105-153
8AR2045K		101-1	103-15	120-152	120-7	103-6	103-13						105-153
8AR2048F		101-146	103-15	120-152	120-7	103-6	103-13		116-98				105-153
8AR2049K		101-146	103-15	120-152	120-7	103-6	103-13		116-98				105-153
8AR2050F	110-241	101-146	103-15	120-152	120-7	103-6	103-13		116-98				105-153
8AR2051K	110-240	101-146	103-15	120-152	120-7	103-6	103-13		116-98				105-153
8AR2052F	110-265	101-176	103-15	120-152	120-7	103-6	103-13						105-153
8AR2053F	110-286	101-171	103-15	120-152	120-7	103-6	103-13						105-124
8AR2057L	110-723	101-188	103-15	120-152	120-7	103-6	103-13				101-187	116-120	105-238
8AR2060F	110-262	101-171	103-15	120-152	120-7	103-6	103-13				101-130		105-152
8AR2062K	110-263	101-171	103-15	120-152	120-7	103-6	103-13		116-98		101-130		105-152
8AR2063F		101-1	103-15	120-152	120-7	103-6	103-13						105-231
8AR2065F	110-234	101-171	103-15	120-152	120-7	103-6	103-13						105-124
8AR2066F	110-261	101-171	103-15	120-152	120-7	103-6	103-13				101-130		105-242
8AR2066F-LE		101-171	103-15	120-152	120-7	103-6	103-13				101-130		105-281
8AR2067L	110-291	101-194	103-15	120-152	120-7	103-6	103-13				101-187		105-242
8AR2068F		101-171	103-15	120-152	120-7	103-6	103-13		116-98		101-130		105-152
8AR2068FM	110-287	101-171	103-15	120-152	120-7	103-6	103-13		116-98		101-130		105-152
8AR2069F	110-273	101-171	103-15	120-152	120-7	103-6	103-13		116-98		101-130		105-152
8AR2070K	110-274	101-171	103-15	120-152	120-7	103-6	103-13		116-98		101-130		105-152
8AR2070KA	110-647	101-98	103-46	120-375	120-7						101-130		105-307
8AR2071L	110-290	101-188	103-15	120-152	120-7	103-6	103-13				101-187	116-120	105-238
8AR2072F	110-288	1101-194	103-15	120-152	120-7	103-6	103-13				101-187		105-242
8AR2073F	110-289	101-171	103-15	120-152	120-7	103-6	103-13		116-98		101-130		105-152
8AR2074F		101-1	103-15	120-152	120-7	103-6	103-13						
8AR2075F	110-283	101-171	103-15	120-152	120-7	103-6	103-13		116-98		101-130		105-152
8AR2076K	110-325	101-171	103-15	120-152	120-7	103-6	103-13		116-98		101-130		105-256
8AR2081F	110-315	101-171	103-15	120-152	120-7	103-6	103-13		116-98		101-130		105-242
8AR2169F	110-629	101-98	103-46	120-375	120-7						101-130		105-307
8AR3010		101-1	103-15	120-152	120-7	103-6	103-13	116-80					105-183
8AR3077F	110-295	101-198	103-15	120-152	120-7	103-6	103-13		116-98		101-187		105-248
8AR3080F	110-301	101-171	103-15	120-152	120-7	103-6	103-13		116-98		101-130		105-248

Important: The information contained in this bulletin is intended for use by trained, professional technicians who have the proper tools, equipment, and training to perform the required maintenance described above. This information is NOT intended for 'do-it-yourselfers', and you should not assume that this information applies to your equipment. If you have any questions regarding this information please visit our website at www.prestolite.com, or contact our technical service department at:

GROUP:	17A
FORM:	8AR

KEY NO.	SALES NO.	DESCRIPTION	8AR2044F	8AR2045K	8AR2048F	8AR2049K	8AR2050F	8AR2051K	8AR2052F	8AR2053F	8AR2057L	8AR2060F	8AR2062K	8AR2063F	8AR2065F	8AR2066F	8AR2067L	8AR2069F	8AR2068FM	8AR2069F	8AR2070KA	8AR2070K	8AR2071L	8AR2072F	8AR2073F	8AR2074F	8AR2075F	8AR2076K	8AR2081F	8AR2169F	8AR3010	8AR3077F	8AR3080F
		BOLTS																															
25	120-1	THROUGH, 10-32 x 2-55/64"	4	4		4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
25	120-143	THROUGH, 10-32 x 3-1/8"		4	4	4	4					4							2	4	4								4		4	4	
25	120-86	THROUGH, 10-32 x 3-5/16"									4							4					4										
41	120-93	CARRIAGE, 10-24 x 1-1/2"			1	1	1					1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
41	120-306	CARRIAGE, M5 x .08 x 1.4"																														1	
		NUTS																															
28	120-34	HEX, 10-24	4	4	4	4	4	4	4	4	3	3	4	3	3	4	3	3	3	3					3	4	3	3		3	3		
28	120-288	HEX, M5 x .08 - 6H							8	8								8					8	8								8	
29	120-272	HEX, LOCK 10-24	4	4	4	4	4	4	4	4	3	3	4	3	3	3	3	3	3	3	3	3			3	4	3	3		3	3		
30	120-342	HEX, 1/4-20 x 7/16" CONE LOCK	1	1	1	1	1	1	1	1	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
30	120-289	HEX, M6 x 1 - 6H							1								2						2										
31	120-136	PULLEY MOUNTING, 5/8-18	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32	120-150	SQUARE, 10-24	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
32	120-376	HEX, 10-24, 1/8TK																			5									5			
28	120-95	HEX, 10-24 x 3/8																			2									2			
		SCREWS																															
33	120-102	TAPPING, 8-32 x 1/2"	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	4	2	2	2	2	2	2	2	2	4	2	2	2
34	120-223	TAPPING, 10-24 x 5/8"	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
47	120-234	TAPPING, 10-24 x 3/8"	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
49	120-208	TAPPING, 4-40 x 3/16"	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2									2				
49	120-381	TAPPING, 4-40 x 7/32																			1										1		
		WASHERS																															
37	120-120	FLAT METAL, .203 ID x .437 OD																			2										2		
38	120-378	FLAT METAL, .203 ID x .50 OD																			3										4		
35	115-51	INSULATOR, NO. 10																			4										4		
35	115-4	INSULATOR, NO. 10 x 1/2"	1	1	1	1	1	1	1	1				1																			
36	115-3	INSULATOR, NO. 10 x 3/4"	5	5	7	7	7	7	5	4	4	2	4	5	4	2	4	2	4	4	2	4	4	4	2	4	5	4	4	2	4	6	4
36	115-10	INSULATOR, 1/4" STUD x 3/4"										2	2		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
36	115-54	INSULATOR, 1/4" STUD																			2									2			
37	120-49	FLAT METAL, 1/4" x 9/16"									1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
37	120-109	FLAT METAL .266 ID x .562 OD																			1									1			
38	120-111	SPLIT LOCK, NO. 10	4	4	4	4	4	8	4	8	4	4	4	4	4	4	4	8	4	4	4	4	8	8	4	4	4	4	4	4	4	8	
40	120-137	SPLIT LOCK, 5/8" IRRIDITE	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		MISC.																															
26	115-2	INSULATOR, SLEEVE NO. 10 x 3/32"	1	1	1	1	1	1	1	1				1											1					1			
27	115-1	INSULATOR, SLEEVE NO. 10 x 19/32"	2	2	3	3	3	3	2			1	2		1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	3	1		
42	115-7	INSULATOR, SQ. NO. 10 ID 5/8" OD			1	1	1				1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
43	115-39	INSULATOR, SLEEVE NO. 10 x 3/8"													1				1														
44	115-26	INSULATOR, SLEEVE 1/4" ID x 1/2"								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
45	115-27	INSULATOR, SLEEVE NO. 10 x 1/3"								1	1	1		1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	1	1	1
48	102-26	CAPACITOR								1																							
50	120-266	BUSHING, REAR SPLIT									1																						
50	120-309	BUSHING, REAR SPLIT																						1									
51	120-287	CAPSTUD									1	1	1	1	1			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
52	116-86	TERMINAL, MALE									1													1									

Important: The information contained in this bulletin is intended for use by trained, professional technicians who have the proper tools, equipment, and training to perform the required maintenance described above. This information is NOT intended for 'do-it-yourselfers', and you should not assume that this information applies to your equipment. If you have any questions regarding this information please visit our website at www.prestolite.com, or contact our technical service department at: